

Management of West Syndrome through Ayurveda and Yoga: A Holistic Approach

Budhlakoti Kanika

Abstract

West Syndrome, also known as infantile spasms, is a rare and severe form of epilepsy that typically manifests in the first year of a child's life. Characterized by brief and repetitive muscle contractions, it can cause developmental delays and cognitive impairments. While conventional medicine provides various treatment options, Ayurveda, the ancient Indian system of medicine, offers a holistic approach to managing West Syndrome. This article explores the principles and practices of Ayurveda that can help alleviate the symptoms and improve the overall well-being of children with West Syndrome.

KeyWords

Ayurveda, Panchkarma, West syndrome

Introduction

West Syndrome is characterized by a triad of symptoms¹: infantile spasms, developmental regression or delay, and an abnormal electroencephalogram (EEG) pattern known as hypsarrhythmia. The pathophysiology of West Syndrome involves a combination of structural and functional abnormalities in the brain. The exact underlying cause of West Syndrome is not fully understood, but several factors contribute to its pathophysiology are as follows².

Brain Developmental Abnormalities: West Syndrome often occurs in infants with preexisting brain abnormalities or damage, such as cortical malformations, perinatal hypoxic-ischemic injury, or genetic disorders. These abnormalities affect the normal development and functioning of the brain.

Neurotransmitter Imbalance: Disturbances in neurotransmitters, particularly gamma-aminobutyric acid (GABA), play a significant role in the pathophysiology of West Syndrome. GABA acts as an inhibitory neurotransmitter that regulates the excitability of neurons. Reduced GABAergic inhibition and an imbalance between excitatory and inhibitory signals contribute to the development of seizures.

Corticotropin-Releasing Hormone (CRH) Dysregulation: The hypothalamic-pituitary-adrenal (HPA) axis, which regulates stress response, is thought to be dysregulated in West Syndrome.

Corticotropin-releasing hormone (CRH) levels are increased, leading to an overactivation of the stress response and potentially triggering seizures.

Sign and Symptoms:

The hallmark symptoms of West Syndrome include³

Infantile spasms: Infantile spasms are the characteristic seizures seen in West Syndrome. They typically start between 3 and 8 months of age and present as sudden flexion or extension movements of the neck, trunk, and limbs. These spasms often occur in clusters, with several spasms happening in a row. They may be accompanied by a brief interruption in consciousness.

Developmental Regression or Delay

Children with West Syndrome often experience a decline in developmental milestones or a plateauing of their developmental progress. This regression or delay can affect motor skills, cognition, language development, and social interactions. The severity of the regression varies among individuals.

Abnormal EEG (Hypsarrhythmia)

Electroencephalogram (EEG) recordings in children with West Syndrome show a specific abnormal pattern called hypsarrhythmia. Hypsarrhythmia is characterized by chaotic, high-amplitude, and asynchronous slow waves with intermixed spikes and sharp waves. This EEG pattern is indicative of abnormal brain electrical activity.⁴

Other Possible Symptoms In addition to the characteristic triad, children with West Syndrome may experience other symptoms

such as irritability, sleep disturbances, poor feeding, and abnormalities in muscle tone.

Diagnosis of West Syndrome ⁵

The diagnosis of West Syndrome involves a combination of clinical evaluation, medical history assessment, physical examination, and specialized tests. The process typically includes the following steps:

Medical History and Physical Examination It begins by gathering a detailed medical history, including information about the child's symptoms, developmental milestones, and any relevant family history of seizures or neurological disorders. A thorough physical examination will also be conducted to assess the child's overall health and look for any physical abnormalities.

Electroencephalogram (EEG) An EEG is a critical diagnostic tool for West Syndrome. It records the electrical activity of the brain using electrodes placed on the scalp. Children with West Syndrome often exhibit a specific abnormal EEG pattern called hypsarrhythmia. Hypsarrhythmia is characterized by chaotic, high-amplitude, and asynchronous slow waves with intermixed spikes and sharp waves. The presence of hypsarrhythmia is a strong indicator of West Syndrome.

Video Monitoring Video monitoring is often combined with EEG to correlate the observed behavior with the abnormal brain activity. Video recording helps capture the characteristic infantile spasms and provides additional information about the duration, frequency, and associated features of the seizures.

Medical Imaging Imaging studies such as magnetic resonance imaging (MRI) may be recommended to assess the structure of the brain and identify any underlying structural abnormalities or lesions that may be contributing to the seizures.

Blood Tests and Genetic Testing Blood tests may be performed to check for any metabolic or genetic abnormalities that could be associated with West Syndrome. Genetic testing may be recommended to identify specific genetic mutations that are known to cause the condition.

The diagnosis of West Syndrome requires the presence of the characteristic triad infantile spasms, developmental regression or delay, and hypsarrhythmia on EEG. It is important to differentiate West Syndrome from other seizure disorders or medical conditions that may have similar symptoms. Once a diagnosis is confirmed, appropriate treatment strategies can be initiated to manage the condition and support the child's development ⁶.

Role of Ayurveda ⁷

Ayurveda views West Syndrome as a manifestation of imbalances in the doshas (energies) within the body. According to Ayurvedic principles, an aggravated Vata dosha is primarily responsible for the neurological symptoms associated with West Syndrome. The treatment approach in Ayurveda focuses on restoring the balance

of the doshas and enhancing the body's natural healing abilities.

Herbal Remedies Ayurveda employs various herbal remedies to address the imbalances and alleviate the symptoms of West Syndrome. Some commonly used herbs include Brahmi (*Bacopa monnieri*), Shankhpushpi (*Convolvulus pluricaulis*), Jatamansi (*Nardostachys jatamansi*), and Ashwagandha (*Withania somnifera*) can be given in syrup and avleha form, dosage according to birth weight. These herbs have neuroprotective properties and help improve brain function, reduce seizures, and promote overall neurological health.⁸

Diet and Lifestyle Modifications Ayurveda emphasizes the importance of a balanced and nourishing diet in managing West Syndrome. Diet should be rich in fruits, vegetables, whole grains, and easily digestible foods. Specific dietary restrictions may also be suggested, such as avoiding processed foods, caffeine, and spicy or oily foods that can aggravate Vata dosha.

In addition to dietary modifications, certain lifestyle changes can also be beneficial. Ayurvedic therapies such as Abhyanga (Ayurvedic oil massage), Shirodhara (a stream of warm oil poured on the forehead), and Swedana (herbal steam therapy) may help relax the nervous system, reduce stress, and improve overall well-being.

Yoga and Meditation Yoga and meditation are integral parts of Ayurvedic therapy. Gentle yoga asanas (postures) and pranayama (breathing exercises) can help improve muscle tone, enhance flexibility, and promote relaxation. Meditation techniques, such as mindfulness and chanting of specific mantras, can also aid in reducing stress and calming the mind. Some of the Asanas which are helpful in West Syndrome are as follows:-

Balasana (Child's Pose) Balasana is a gentle resting pose that promotes relaxation and helps calm the nervous system. It can be beneficial in reducing stress and anxiety.

Tadasana (Mountain Pose) Tadasana is a standing pose that helps improve posture, balance, and body awareness. It can help strengthen the muscles and improve overall

stability.

Vrikshasana (Tree Pose) Vrikshasana is a balancing pose that promotes concentration and stability. It helps improve coordination and strengthens the leg muscles.

Setu Bandhasana (Bridge Pose) Setu Bandhasana is a backbend that helps open the chest and stretch the spine. It can help improve breathing patterns and promote overall relaxation.

Dhanurasana (Bow Pose) Dhanurasana is a backbend that stretches the front of the body and strengthens the back muscles. It can help improve core strength and flexibility.

Makarasana (Crocodile Pose) Makarasana is a relaxing pose that helps release tension in the body and promote deep relaxation. It can be particularly beneficial in reducing muscle spasms and promoting overall calmness.

Savasana (Corpse Pose) Savasana is a final relaxation pose that allows the body and mind to fully relax and integrate the benefits of the practice. It promotes deep rest and can be helpful in reducing stress and promoting overall well-being.

Contraindications of Yogaasana

Inversions: Inversions like headstands and shoulder stands may increase the risk of falling and should be avoided due to the potential for injury during a seizure.

Rapid and vigorous movements Yoga asanas that involve rapid or vigorous movements, such as jumping or fast-paced flows, might trigger seizures in some individuals.

Deep backbends Deep backbends can be strenuous and may increase the risk of injury, so they should be practiced with caution.

Holding breath Breath retention practices, like breath-holding during asanas (kumbhaka), should be avoided as they can alter oxygen levels in the body and potentially trigger seizures.

Intense heating practices Practices that generate excessive internal heat, such as hot yoga or intense pranayama (breathing exercises), may not be suitable for individuals with epilepsy or West syndrome as they can increase the risk of overheating.

Overstimulation Yoga classes that are overly stimulating, with bright lights, loud music, or crowded environments, might be overwhelming for some individuals with epilepsy.

It is important to tailor the yoga practice to the individual's abilities and needs. Modifications and props can be used as necessary. The duration and intensity of the practice should be gradually increased based on the individual's tolerance and comfort level. Regular practice, along with other recommended therapies, can contribute to the overall management of West Syndrome.

General guidelines when introducing yoga to a child with West syndrome

- Choose a calm and quiet environment for yoga sessions.

- Prioritize gentle, slow-paced yoga practices.
- Focus on relaxation techniques, gentle stretching, and mindful breathing exercises.
- Ensure proper supervision and support during yoga sessions to prevent injuries.
- Always consult with the child's healthcare provider and seek their guidance on yoga practices that are safe and appropriate for the child's specific condition.
- The key is to tailor the yoga practice to the child's unique needs and abilities while prioritizing safety and comfort.

Panchakarma

Panchakarma, the detoxification and rejuvenation therapy in Ayurveda, can play a significant role in managing West Syndrome. The therapies involved in Panchakarma aim to eliminate toxins, balance the doshas, and improve the body's healing capacity. However, Panchakarma therapies can be beneficial in promoting overall well-being, reducing stress, and supporting the body's natural healing processes. Here are some Panchakarma therapies that may be considered in the management of West Syndrome:⁹

Virechana (Therapeutic Purgation) Virechana involves the administration of medicated substances to induce controlled purgation. It aims to eliminate toxins from the body, balance the doshas, and improve overall digestive health. Virechana can help in detoxifying the body and may support the management of West Syndrome by reducing the burden of accumulated toxins. Virechana can be done with Aaragvadhadi avleha, Trivrit avleha, in the dosage of 250-500mg/kg/body wt. upto 16 years. (Virechana should be done after 7 years of birth)

Basti (Medicated Enema) Basti is an Ayurvedic therapy that involves the introduction of herbal oils, decoctions, or medicated substances into the rectum. This therapy is believed to balance the doshas, strengthen the nervous system, and improve overall health. In the context of West Syndrome, Matra basti with the use of Sneha helps in calming the Vata dosha and promoting neurological health. Drugs like Panchgavya Ghrut, Mahakalyanak ghrut, Ksheerbala taila, Dhanwantar taila, Sahacharaadi taila can be used singularly or in yamaka (Combination of

two sneha) form in the dose of 0.6ml-1.2ml/kg/body wt. (Basti can be used 1 year after birth).

Nasya (Nasal Administration) Nasya involves the administration of medicated oils or herbal preparations through the nasal passages. This therapy aims to cleanse and nourish the nasal passages, sinuses, and brain. Nasya can help in reducing nasal congestion, promoting clarity of the senses, and balancing the Vata dosha. It may have a positive impact on the symptoms associated with West Syndrome. Drugs like Brahmi ghrut, Bala taila, Ksheerbala 101 taila, Shankhpushpi ghrut, Panchgavya ghrut, can be used as Pratimarshya nasya in the dose of 2 drops(1ml) 7 years after birth. (Teekshna nasya should be avoided in children)

Abhyanga (Ayurvedic Oil Massage) Abhyanga is a therapeutic massage technique that involves the application of warm herbal oils to the body. It promotes relaxation, improves circulation, and supports the overall well-being of the individual. Abhyanga may be beneficial in reducing stress, calming the nervous system, and enhancing the body-mind connection. Abhyanga can be done with Ksheerbala oil, Bala oil, Dhanwantar oil, Murivena oil, for 15-20 minutes. It helps in treating spasms and pain.

Shirodhara (Warm Oil Pouring on Forehead) Shirodhara is a deeply relaxing therapy where a stream of warm herbal oil is poured gently onto the forehead. It aims to calm the mind, promote mental clarity, and balance the doshas. Shirodhara may help in reducing stress, anxiety, and promoting overall neurological health.¹⁰ It can be done with, Ksheerbala oil, Dhanwantar oil, Brahmi oil, Mahanarayan oil, Jatamansi oil for 45-50 mins till 14 days.

It is essential to remember that the effectiveness of Panchakarma therapies may vary from person to person. Individualized treatment plans, considering the specific needs, constitution, and condition of the child with West Syndrome.

Discussion and Conclusion

Managing West Syndrome, a severe form of epilepsy: in infants requires a comprehensive approach that combines conventional medical treatments with complementary therapies. Ayurveda

offers a holistic perspective on managing West Syndrome by addressing the underlying imbalances in the body. The use of herbal remedies, dietary modifications, Panchakarma therapies, and yoga asanas can potentially support the well-being of individuals with West Syndrome. Ayurvedic herbal remedies such as Brahmi, Shankhpushpi, Jatamansi, and Ashwagandha have been traditionally used for their neuroprotective properties and potential to improve brain function. These herbs may help reduce seizures and promote neurological health. However, further scientific research is needed to validate their efficacy and safety specifically for West Syndrome. Panchakarma therapies can be beneficial in supporting the management of the condition. They should be administered under the guidance of qualified Ayurvedic practitioners.

Yogaasanas, when practiced under the guidance of experienced instructors, can provide physical and mental benefits for infants with West Syndrome. While conventional medical treatments are the primary approach, integrating Ayurvedic principles and practices can offer a holistic perspective on managing the condition. In conclusion, a comprehensive approach that combines the strengths of both conventional medicine and Ayurveda can help optimize the management of West Syndrome, improve symptoms, and enhance the overall quality of life for individuals living with this challenging condition. It is expected that Ayurvedic care interventions and yoga positively influences the development of the infant, mentally and physically.

References:

1. West WJ (1841) On a peculiar form of infantile convulsions. Lancet 35:724-725
2. Commission on Classification and Terminology of the International League Against Epilepsy (1992) Workshop on infantile spasms. Epilepsia 33:195
3. Fisher RS, Cross JH, French JA, Higurashi N, Hirsch E, Jansen FE, Lagae L, Moshé SL, Pelton J, Roulet Perez E, Scheffer IE, Zuberi SM (2017) Operational classification of seizure types by the international league against epilepsy: position paper of the ILAE Commission for Classification and Terminology. Epilepsia 58:522-530
4. Scheffer IE, Berkovic S, Capovilla G, Connolly MB, French J, Guilhoto L, Hirsch E, Jain S, Mathern GW, Moshé SL, Nordli DR, Perucca E, Tomson T, Wiebe S, Zhang YH, Zuberi SM (2017) ILAE classification of the epilepsies: position paper of the ILAE Commission for Classification and Terminology. Epilepsia 58:512-521
5. Lux AL (2013) Latest American and European updates on infantile spasms. Curr Neurol Neurosci Rep 13:334-341
6. Wirrell EC, Shellhaas RA, Joshi C, Keator C, Kumar S, Mitchell WG (2015) How should children with West syndrome be efficiently and accurately investigated? Results from the National Infantile Spasms Consortium. Epilepsia 56:617-625
7. Agnivesa, Caraka, Dradhabala. Caraka Samhita; Nidanasthana; Pramehanidana Adhyaya 04/15, edited by Vaidya Jadavaji Trikamji Acharya. 2nd edition, Chaukhamba Sanskrit Samsthan, Varanasi, 1990
8. Dahanukar SA, Kulkarni RA, Rege NN (2000) Pharmacology of medicinal plants and natural products. Indian J Pharmacol 32:S81-S118
9. Agnivesa, Caraka, Dradhabala; Caraka Samhita; Cikitsasthana; Rasayana Cikitsa Adhyaya; 1, 3rd Pada, Shloka 36-40, edited by Vaidya Jadavaji Trikamji Acharya. 2nd edition, Chaukhamba Sanskrit Samsthan publication, Varanasi, 1990; 494
10. Kashinath Shastri, Gangasahay Pandeya (editor). Charaka Samhita of Charaka, Nidana Sthana, Chapter 4, Verse no. 39, Vol I, 5th edition, Varanasi; Chaukhamba Sanskrit Sansthan 1997; 509.Top of Form